

2012 March Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIREs

ANIMAL NAME Ident		Owner Code(s)	Sire	Statistics				GROUP ESTIMATED BREEDING VALUES															
				Num Herd	Prog Anly	Prog Scan	Perf Dtrs	Birth		Growth					Carcase				Indexes				
								GL acc	Bwt acc	200 acc	400 acc	600 acc	Mwt acc	MILK acc	SS acc	EMA acc	Rib acc	Rump acc	IMF% acc				
ACC WAGYU FUKUJIRO Z12 ACCPZ0012	9	GOSFV0106	2	65	27	21	---	-0.4 74%	+5 86%	+12 83%	+20 84%	+16 74%	+3 79%	-1.5 66%	-0.5 59%	+0.5 74%	+0.8 75%	+0.4 61%	---	---	---	---	
ASHWOOD F X014 HS FX0014	2	IMUFQ0502	1	39	23	0	---	+5.6 91%	+25 85%	+44 85%	+71 83%	+86 67%	---	+3.3 61%	+2.6 53%	0.0 72%	-0.4 72%	-0.2 57%	---	---	---	---	
BALD RIDGE ITOZURUDOI B205 CCCFB0205	4	IMUFLTF151	1	48	30	0	-0.1 57%	+1.9 92%	+13 87%	+21 86%	+29 87%	+29 73%	-4 57%	0.0 82%	+0.6 58%	-0.2 72%	-0.4 73%	+0.2 60%	---	---	---	---	
BAR R SANJIRO 4P (IMP USA) IMUFY5663	13	PEDFP100	2	36	24	3	+0.6 57%	+0.8 79%	+3 77%	+3 77%	+3 75%	+1 64%	-2 48%	-1.7 53%	-0.2 63%	-0.1 64%	-0.1 51%	+0.4 51%	---	---	---	---	
BLACK GOLD FARMS GAKI JJ/FW0023	2	IMUF0036	1	78	73	0	+1.0 58%	+1.1 93%	+9 87%	+12 90%	+16 78%	+16 63%	+1 50%	-0.3 87%	+1.5 61%	+0.9 75%	+0.4 76%	+0.2 62%	---	---	---	---	
BLACKMORE AIZATZURUDOI Y398 BYWYF0398	5	IMJFMJ068	3	51	6	0	-0.8 81%	-0.9 91%	0 86%	+3 84%	-1 84%	-6 70%	---	---	-1.7 47%	-0.3 51%	-0.1 53%	-0.1 41%	---	---	---	---	
BLACKMORE HIKOSHIGEFUJI Y342 BYWYF0342	5	IMUFQTF147	4	25	7	0	-1.3 72%	+2.6 85%	+15 79%	+26 79%	+33 75%	+38 65%	+4 54%	+1.2 53%	-0.1 49%	-1.1 55%	-1.5 56%	-0.8 48%	---	---	---	---	
BON KING TWA R061 (IMP USA) BKEFR0061	14	IMUFN2294	1	45	0	0	-0.7 52%	+1.9 67%	+11 73%	+19 81%	+17 85%	+19 72%	---	---	---	---	---	---	---	---	---	---	
COBUNGRA 5048 898FA0048	2	IMUFLTF151	1	76	50	0	-0.5 63%	+1.0 94%	+14 90%	+22 90%	+32 89%	+27 74%	-1 53%	+0.1 81%	+2.5 62%	-0.1 77%	-0.2 78%	-0.2 64%	---	---	---	---	
COBUNGRA 5052 898FA0052	2	IMUFLTF151	1	90	69	0	+0.8 62%	+4.9 95%	+21 91%	+37 90%	+47 89%	+51 74%	-2 54%	+2.1 90%	+3.5 65%	-0.1 78%	-0.1 79%	-0.1 66%	---	---	---	---	
DAI 6 SEIZAN (IMP JAP) IMJFP2947	1	PEDFAJ587	3	142	88	23	+1.0 78%	-0.2 96%	+3 93%	+1 94%	+3 93%	+8 85%	+6 83%	-1.0 90%	-0.6 73%	0.0 84%	-0.2 85%	-0.5 74%	---	---	---	---	
ECHIGO FARMS F B1001 ECHFB1001	6	IMJFAJ2703	2	39	0	0	-1.2 56%	+1.1 70%	+10 81%	+23 78%	+31 78%	+24 67%	+11 55%	+1.7 63%	+3.6 53%	+0.7 57%	+0.4 57%	-0.4 52%	---	---	---	---	
FUKUTSURU J068 (IMP JAP) IMJFMJ068	1	PEDFAJ774	15	170	34	18	-0.9 86%	-2.9 94%	-9 93%	-12 93%	-21 92%	-30 86%	+10 78%	-2.9 84%	-4.3 71%	-0.2 81%	+0.1 81%	0.0 70%	---	---	---	---	
GEANCA F A7085 7GHFA7085	18	IMUFLTF151	1	57	0	7	-0.4 64%	+2.0 92%	+12 86%	+11 81%	+18 80%	+13 68%	-1 60%	---	---	---	---	---	---	---	---	---	
GINJO MARBLEMAX HIRANAMI B901 GINFB0901	6	IMJFAJ2351	1	37	0	0	+2.9 52%	+3.6 65%	+21 79%	+25 75%	+34 74%	+33 64%	+4 57%	+0.8 53%	+1.3 49%	+0.3 51%	-0.1 51%	---	---	---	---		
GINJO MARBLEMAX HIRANAMI C878 GINFC0878	6	IMJFAJ2351	2	42	0	0	+3.0 52%	+2.9 64%	+17 77%	+20 71%	+28 68%	+28 59%	+4 57%	+1.1 62%	+1.3 49%	+0.3 51%	0.0 51%	---	---	---	---		
GOOREE KIKIFUKU U040 (IMP USA) GPPFU0040	11	IMJFMJ068	1	21	0	9	---	-0.9 64%	+1 71%	-3 74%	-5 75%	-16 73%	+6 72%	-1.6 56%	-2.2 46%	+0.1 55%	+0.1 55%	---	---	---	---		
GOSHU FUKUMATSU GOSFZ0302	8	IMJFMJ068	2	21	17	0	-0.6 63%	-2.7 85%	-7 79%	-5 78%	-12 81%	-16 70%	---	-1.7 77%	-1.6 56%	-0.6 68%	-0.3 69%	-0.2 57%	---	---	---	---	
GOSHU MICHISHIGE GOSFU0065	1	IMUFM1615	1	36	15	3	+1.2 76%	+1.6 72%	+11 79%	+19 81%	+23 81%	+25 71%	-9 59%	-0.6 78%	+0.5 60%	-0.2 68%	+0.1 69%	+0.5 59%	---	---	---	---	
GOSHU MICHITADA GOSFA0333	8	IMUFM1615	1	14	10	0	+1.3 60%	+1.1 86%	+7 75%	+12 76%	+4 75%	+1 67%	-9 55%	-1.4 77%	+0.6 59%	+1.1 66%	+0.8 67%	+0.4 56%	---	---	---	---	
GOSHU MICHITARO GOSFU0083	12	IMUFM1615	1	29	8	12	+0.9 61%	+0.7 72%	+6 81%	+12 81%	+8 81%	+11 77%	-8 76%	-0.7 70%	+0.2 60%	0.0 69%	+0.3 70%	+0.3 60%	---	---	---	---	
GOSHU YASUKATA (IMP USA) GOSFZ0324	2	PEDFS100	2	38	26	0	+0.3 72%	-1.6 85%	-7 77%	-10 71%	-13 77%	-8 62%	---	-0.6 70%	-0.4 46%	+1.4 59%	+1.8 60%	+0.9 47%	---	---	---	---	
HARUKI II (IMP USA) IMUFM1614	1	PEDFA201	25	134	15	21	-3.2 85%	+0.3 93%	+21 92%	+34 92%	+44 91%	+51 87%	+2 85%	+1.2 74%	+1.7 69%	+0.8 80%	+1.2 80%	+0.8 68%	---	---	---	---	
HAWKESBURY HARUNAMI A2 HWKFA0002	9	WESFY0269	2	60	50	8	-0.2 54%	+0.2 87%	+1 87%	-2 87%	0 87%	-1 73%	+1 59%	-0.4 83%	+0.2 60%	+1.2 72%	+0.8 73%	+0.6 61%	---	---	---	---	
HAWKESBURY HOKKAIDO D1120 HWKFD1120	9	IMJFAJ2351	1	21	18	0	+1.9 62%	+3.1 83%	+17 82%	+22 83%	+32 83%	+31 73%	+7 60%	+0.7 83%	+1.0 66%	-0.7 73%	-1.3 74%	-0.3 64%	---	---	---	---	
AVERAGE EBV FOR 2010 BORN CALVES:							+0.1	+0.9	+9	+14	+18	+18	+1	+0.1	+0.5	+0.3	+0.2	+0.1	---	---	---	---	

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 March Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

ANIMAL NAME Ident		Owner Code(s)	Sire	Statistics				GROUP ESTIMATED BREEDING VALUES															
				Num Herd	Prog Anly	Prog Scan	Perf Dtrs	Birth		Growth					Carcase				Indexes				
								GL acc	Bwt acc	200 acc	400 acc	600 acc	Mwt acc	MILK acc	SS acc	EMA acc	Rib acc	Rump acc	IMF% acc				
HAWKESBURY OSAKA D1118		1	IMJFAJ2810	1	18	16	0	-1.1	+0.3	+13	+15	+17	+12	-2	-0.9	-0.1	+0.4	+0.4	+0.3	---	---	---	---
HWKFD1118		1						59%	79%	80%	80%	78%	69%	58%	81%								
HB BIG AL Q502 FB2998		1	PEDPAMITSU	4	5	2	5	---	+4.2	+21	+38	+64	+78	+7	+3.7	+1.5	-0.3	-0.5	-0.4	---	---	---	---
IMUFQ0502		1							78%	77%	77%	75%	65%	62%	57%								
HEART BRAND RED EMPEROR (IMP USA)		10	IMUFQ0502	3	159	56	4	---	+1.9	+7	+12	+32	+43	+6	+2.2	+0.5	-0.4	-0.5	-0.5	---	---	---	---
HBCFV2139		10							83%	87%	88%	84%	67%	45%	51%								
HIKARI J251830R (IMP JAP)		1	PEDPAMITSU	2	22	0	16	---	+3.5	+20	+29	+52	+65	+6	+2.2	+1.1	-0.2	-0.2	---	---	---	---	
IMJFAJ2455		1							75%	77%	78%	76%	66%	47%									
HIRASHIGETAYASU J2351 HONGEN (IMP JAP)		1	PEDFAJ287	19	1526	699	297	+4.9	+5.4	+29	+40	+53	+58	+9	+1.9	+2.4	-0.3	-0.9	-0.5	---	---	---	---
IMJFAJ2351		1							97%	98%	98%	98%	97%	97%	97%								
ITOMORITAKA J2703 HONGEN (IMP JAP)		1	PEDFAJ1555	12	668	247	182	-1.3	+3.7	+23	+35	+50	+33	+16	+3.7	+5.3	+0.8	+0.4	-0.5	---	---	---	---
IMJFAJ2703		1							96%	98%	98%	97%	96%	96%	95%								
ITOSHIGEFUJI (IMP USA)		21	PEDFAJ483	27	520	114	71	0.0	+2.6	+15	+32	+42	+50	+5	+0.9	-0.8	-1.6	-1.5	-1.1	---	---	---	---
IMUFQTF147		21							92%	96%	96%	95%	89%	91%	87%								
ITOSHIGENAMI (IMP USA)		21	PEDFA10632	27	934	474	148	+0.6	-1.3	+1	-1	-3	-12	-5	-1.1	+0.6	+2.0	+1.7	+0.7	---	---	---	---
IMUFQTF148		21							93%	98%	97%	97%	92%	93%	96%								
ITOZURUDOI TF151 (IMP USA)		21	PEDFAJ1081	19	259	88	77	-0.7	+1.5	+12	+23	+35	+34	0	+0.4	+1.2	-0.9	-1.4	0.0	---	---	---	---
IMUFLT151		21							81%	96%	94%	94%	92%	87%	88%								
JVP FUKUKANE 402E (IMP USA)		7	IMJFMJ068	10	70	2	7	-1.9	-1.2	+2	+8	+10	+9	+4	-0.9	-2.2	-1.0	-1.2	0.0	---	---	---	---
IMUFQ0402		7							81%	86%	85%	87%	86%	77%	72%								
KANADAGENE 100(IMP CAN)		1	IMUFM1615	7	95	17	10	+1.3	+1.4	+9	+17	+18	+12	-10	-1.4	+2.4	+0.4	+0.5	+0.7	---	---	---	---
IMUFP0100		1							67%	76%	84%	86%	85%	77%	69%								
KIKUTERUSHIGE (IMP USA)		21	PEDFAJ10787	23	309	80	88	-2.2	-4.3	-10	-22	-27	-47	-2	-2.6	-2.0	+0.3	+0.9	+0.6	---	---	---	---
IMUFMTF150		21							89%	97%	96%	96%	96%	92%	94%								
KIKUYASU 400 (IMP JAP)		1	PEDFA301	15	47	0	5	+0.3	+0.4	+7	-1	+3	-14	-6	-1.6	+0.1	+0.7	+0.9	+0.3	---	---	---	---
IMUFM2100		1							65%	88%	89%	90%	90%	85%	79%								
KITAGUNI JR		1	PEDFAJ1530	5	78	61	19	-1.0	-3.4	-13	-20	-29	-32	+2	+0.8	-2.3	+1.4	+1.5	+0.6	---	---	---	---
PEDFP001		1							66%	92%	88%	88%	84%	73%	72%								
KITAHATSUHI 97/1 (IMP USA)		1	IMJFAJ2810	4	194	21	4	-1.8	+1.8	+20	+34	+48	+52	+4	+0.8	+1.1	-1.0	-1.8	-0.2	---	---	---	---
IMUFSR018		1							68%	81%	91%	92%	82%	71%	71%								
KITATERUYASUDOI J2810 HONGEN (IMP JAP)		1	PEDFAJ1742	20	1905	728	438	-2.3	-1.3	0	0	-1	-4	0	-1.1	-1.8	-0.3	-0.5	+0.3	---	---	---	---
IMJFAJ2810		1							97%	99%	98%	98%	98%	98%	98%								
KITATSURUKIKU DOI (IMP JAP)		1	PEDFAJ774	3	191	128	49	-5.1	-5.3	-6	-5	-13	-38	-1	-1.7	-1.2	-0.5	-0.5	-0.4	---	---	---	---
IMJFQ3161		1							88%	97%	95%	95%	94%	88%	91%								
LMR TOSHIRO 1/3		13	IMUFN2127	1	18	5	0	+1.1	+2.6	+15	+27	+31	+37	---	+0.8	+1.1	0.0	+0.3	-0.1	---	---	---	---
LMRFC723T		13							56%	84%	75%	72%	70%	61%	41%								
LMR YOJIMBO		1,13	PEDFT36H	1	21	11	0	---	+1.2	+4	+11	+12	+16	---	-0.9	+0.5	+1.3	+1.0	+0.3	---	---	---	---
LMRFB634S		1,13							85%	78%	74%	70%	58%	44%									
LONGFORD HONJO		14	IMUFM1615	3	29	1	1	+0.5	+0.2	+6	+6	+8	+13	-9	-1.2	+1.1	+1.0	+1.0	+0.6	---	---	---	---
LFDFT0475		14							56%	69%	73%	78%	78%	68%	57%								
LONGFORD ZAKI		14	IMUFM1615	1	21	0	0	+0.5	+0.4	+6	+7	+12	+18	-9	-1.4	+1.0	+0.8	+0.7	+0.6	---	---	---	---
LFDFT0476		14							56%	66%	71%	77%	79%	69%	56%								
MICHIFUKU (IMP USA)		1	PEDFA201	43	715	258	132	+1.8	+0.8	+5	+7	+1	+4	-12	-1.7	+1.6	+1.4	+1.6	+0.8	---	---	---	---
IMUFM1615		1							94%	98%	97%	97%	95%	95%	87%								
MOYHU TANI		17	TWAFR0007	3	60	36	21	+0.5	+0.7	+6	+4	+3	+5	-2	-1.0	-0.2	+1.2	+1.2	+0.5	---	---	---	---
MOYFZ0179		17							60%	82%	86%	85%	84%	72%	67%								
OVERFLOW KANEYAMA (IMP USA)		1	IMUFM1614	7	440	20	81	-1.8	-0.6	+14	+19	+23	+12	-5	0.0	+1.5	+0.6	+1.6	+0.5	---	---	---	---
WSRFQ0062		1							93%	92%	94%	94%	93%	86%	88%								
PASAGEAN ITOHANA 2 D031		18	IMUFN2294	1	20	0	0	-0.8	+1.7	+6	+8	+12	+11	---	+0.7	---	---	---	---	---	---	---	---
7GHFD0031		18							59%	85%	79%	70%	69%	59%	50%								
AVERAGE EBV FOR 2010 BORN CALVES:								+0.1	+0.9	+9	+14	+18	+18	+1	+0.1	+0.5	+0.3	+0.2	+0.1	---	---	---	---

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 March Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIREs

ANIMAL NAME Ident	Owner Code(s)	Sire	Statistics				Birth		Growth					Carcase				Indexes				
			Num	Prog	Prog	Perf	GL	Bwt	200	400	600	Mwt	MILK	SS	EMA	Rib	Rump	IMF%				
			Herd	Anly	Scan	Dtrs	acc	acc	acc	acc	acc	acc	acc	acc	acc	acc	acc	acc				
PASAGEAN ITOSHIGENAMI C7279 7GHFC7279	18	IMUFQTF148	1	76	0	3	+0.6	+0.6	+6	+7	+7	-2	-5	-0.8	+0.3	+1.0	+0.8	---	---	---	---	
PASAGEAN KITATERUYASUDOI C5187 7GHFC5187	18	IMJFAJ2810	1	16	0	0	+0.1	+1.3	+10	+17	+22	+20	+5	+0.4	+0.5	-0.1	-0.5	-0.1	---	---	---	
PASAGEAN KITATERUYASUDOI D026 7GHFD0026	18	IMJFAJ2810	1	23	0	0	-1.5	-2.1	-3	-1	+1	0	+1	-0.6	-1.1	-0.4	-0.4	-0.1	---	---	---	
SANJIROU PEDFP100	1	IMUFM1615	2	42	20	10	+1.4	+0.9	+4	+4	+2	+2	-8	-1.3	+2.0	+0.2	+0.6	+0.5	---	---	---	
SHIGEFUKU J1822 (IMP JAP) IMJFF0005	1	PEDFAJ287	3	183	126	13	-0.2	+0.1	+4	+7	+23	+39	+7	+1.9	-1.2	+1.2	+0.5	-0.3	---	---	---	
SHIGEMARU (IMP USA) IMUFN2124	1	PEDFA445	2	18	4	22	---	+3.0	+16	+18	+28	+30	0	+2.5	-0.5	+0.6	+0.7	-0.4	---	---	---	
SR Y13 SANJI PEDFZ013	1	PEDFP100	1	20	17	0	+0.1	+2.7	+13	+18	+25	+24	---	-0.5	+1.3	-0.4	-0.5	+0.5	---	---	---	
TAKAZAKURA PEDFA2892	1	PEDFATAKAEIM	7	115	85	2	-0.2	+1.2	+10	+18	+25	+37	-2	+0.9	-2.3	-1.0	-0.6	-0.3	---	---	---	
TAKEDA FARM FUKUTSURU 004 TFWFW0629	21	IMJFMJ068	3	84	69	0	+0.1	-1.5	-4	+2	-2	-4	---	-2.1	-2.1	+0.9	+0.8	+0.7	---	---	---	
TAMARIND T4 ITOSHIGEFUJI 05/1 KT4FA0232	2	IMUFQTF147	1	95	72	0	-0.8	+3.4	+22	+40	+44	+49	+3	+1.6	+0.4	-0.1	+0.2	-0.3	---	---	---	
TAMARIND T4 ITOSHIGEFUJI 05/6 KT4FA0241	2	IMUFQTF147	1	30	25	0	+0.9	+2.7	+13	+21	+27	+35	0	-0.3	-1.2	-0.9	-0.7	-0.6	---	---	---	
TAMARIND T4 ITOSHIGEFUJI 06/4 KT4FB0272	2	IMUFQTF147	1	54	36	0	-0.1	+2.0	+14	+31	+42	+51	+5	+1.0	+1.3	+0.2	+0.4	0.0	---	---	---	
TERUTANI J2494 TF40 (IMP JAP) IMUFJTF40	21	PEDFAJ10787	20	66	2	10	-1.4	-2.5	-3	-7	-5	-12	+1	-1.0	-1.7	-0.3	+0.2	+0.2	---	---	---	
TF ITOHANA 2 (IMP USA) IMUFN2294	21	PEDFA504	24	240	58	22	-1.8	+1.3	+7	+10	+12	+18	+1	+1.7	-0.1	+0.1	0.0	-0.2	---	---	---	
TF ITOMICHI 1/2 (IMP USA) IMUFP0036	21	PEDFA500	29	214	5	12	+2.0	+1.9	+13	+21	+22	+23	+6	+0.5	+2.3	+1.4	+0.2	+0.1	---	---	---	
TF KIKUHANA 37/2 (IMP USA) IMUFR3252	20	IMUFN2127	3	26	0	0	+2.7	+2.0	+10	+14	+19	+27	---	---	---	---	---	---	---	---	---	
TF KIKUHANA (IMP USA) IMUFN2127	21	PEDFA504	18	111	3	12	+3.0	+3.1	+11	+16	+23	+35	+1	+0.8	+0.8	-0.5	-0.1	-0.5	---	---	---	
TF KINTO (IMP USA) IMUFN2299	21	PEDFA520	7	60	0	4	-2.6	-1.6	+3	+1	+13	+16	+4	---	---	---	---	---	---	---	---	
TF TERUTANI 40/1 (IMP USA) IMUFR3258	20	IMUFJTF40	20	236	12	53	-0.7	+0.1	+13	+24	+31	+39	+9	+1.1	+0.4	-0.4	-0.4	+0.1	---	---	---	
TF YUKIHARUNAMI 4 (IMP USA) IMUFQ2599	1	PEDFAYUKI	6	15	9	3	+0.7	+4.1	+16	+25	+34	+39	+6	+1.3	+2.2	-0.5	-0.7	-0.8	---	---	---	
THE WRIGHT WAGYU ITOSHIGENAMI B50 ACCFB0050	1	IMUFQTF148	1	11	10	5	-0.4	-0.4	+8	+5	+9	+5	0	-0.4	-0.6	+0.8	+0.5	+0.1	---	---	---	
THE WRIGHT WAGYU KYOTO C0097 ACCFC0097	1	WESFZ0278	2	32	28	3	+0.8	+2.2	+12	+21	+31	+34	+7	+1.2	+0.4	-1.2	-1.3	-0.4	---	---	---	
THE WRIGHT WAGYU TANI C0099 ACCFC0099	1	MOYFZ0179	1	14	12	5	---	+1.1	+10	+15	+14	+13	+2	-0.2	-0.1	+0.6	+0.3	-0.1	---	---	---	
THE WRIGHT WAGYU TERUTANI C089 ACCFC0089	1	IMUFR3258	2	54	29	3	-0.6	+0.5	+13	+18	+22	+23	+7	+0.1	-1.4	-0.5	-0.1	-0.1	---	---	---	
TWA ICHIRYUNO (IMP USA) TWAFR0003	15	PEDFA2892	13	193	89	60	-0.9	+1.4	+17	+25	+33	+43	0	+0.5	-0.6	-0.7	-0.1	0.0	---	---	---	
AVERAGE EBV FOR 2010 BORN CALVES:							+0.1	+0.9	+9	+14	+18	+18	+1	+0.1	+0.5	+0.3	+0.2	+0.1				

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 March Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

			GROUP ESTIMATED BREEDING VALUES																				
ANIMAL NAME Ident	Owner Code(s)	Sire	Statistics				Birth		Growth					Carcase				Indexes					
			Num Herd	Prog Anly	Prog Scan	Perf Dtrs	GL acc	Bwt acc	200 acc	400 acc	600 acc	Mwt acc	MILK acc	SS acc	EMA acc	Rib acc	Rump acc	IMF% acc					
TWA KAJIKARI			2	41	14	2	---	+2.2	+20	+25	+48	+63	+5	+1.1	+0.7	-0.5	-0.3	-0.4	---	---	---	---	
TWAFS0363	1,4	IMUFN2455						81%	78%	78%	76%	65%	47%	57%	37%	50%	51%	36%					
TWA KOTSUKARI			2	26	11	2	---	+4.2	+21	+28	+50	+62	+6	---	+0.5	0.0	0.0	-0.9	---	---	---	---	
TWAFS0348	16	IMUFN2455						68%	74%	76%	71%	58%	61%	---	47%	62%	64%	48%					
TWA SHIKIKAN (IMP USA)			10	360	52	60	+0.3	+0.7	+5	+8	+10	+15	-5	+0.1	-1.2	-0.5	-0.4	+0.3	---	---	---	---	
TWAFR0007	22	PEDFA2892						90%	91%	93%	94%	93%	82%	84%	69%	65%	77%	77%	64%				
WESTHOLME ASH TERUKAZU 2/2 (COM)			1	28	23	0	-0.6	+1.8	+18	+28	+42	+45	---	+1.5	+2.2	-0.2	0.0	+0.3	---	---	---	---	
AACFC0396	2	HS FW0006						50%	90%	82%	79%	83%	71%	77%	57%	71%	72%	56%					
WESTHOLME B0039			1	13	4	0	+0.4	+0.9	+8	+12	+17	+16	-2	-0.4	+0.4	+0.6	+0.5	+0.1	---	---	---	---	
WESFB0039	2	IMUFQTF148						63%	83%	76%	76%	74%	66%	60%	56%	65%	66%	57%					
WESTHOLME B0100			1	58	35	0	+1.9	+1.3	+14	+7	+12	+13	+3	-0.1	+0.3	+0.7	+1.0	+0.1	---	---	---	---	
WESFB0100	19	IMJFAJ2351						66%	93%	88%	85%	87%	76%	59%	68%	77%	78%	67%					
WESTHOLME B0506 (COM)			1	43	36	0	-0.4	-1.6	-3	-2	-8	-12	---	+0.3	+0.1	+1.7	+1.7	+0.7	---	---	---	---	
AACFB0506	2	PEDFP001						57%	92%	87%	85%	84%	71%	87%	64%	75%	76%	62%					
WESTHOLME B0545			1	45	35	0	-0.2	+0.6	+9	+23	+27	+28	-1	+1.3	+3.8	+1.6	+1.5	+1.0	---	---	---	---	
AACFB0545	2	IMUFQTF148						64%	92%	87%	86%	85%	73%	55%	65%	76%	77%	64%					
WESTHOLME B0590 (COM)			1	31	19	0	+1.2	+3.4	+14	+21	+24	+27	---	+0.7	+1.5	-0.1	0.0	-0.7	---	---	---	---	
AACFB0590	2	IMUFQ2599						53%	91%	84%	79%	83%	69%	80%	56%	68%	70%	54%					
WESTHOLME B0591 (COM)			1	12	11	0	-1.2	-1.1	+9	+10	+13	+6	-2	0.0	-0.4	+0.4	0.0	+0.6	---	---	---	---	
AACFB0591	2	IMUFLTF151						58%	86%	80%	81%	75%	65%	54%	59%	68%	70%	56%					
WESTHOLME HAYABUSA			1	11	11	0	+1.0	+1.9	+9	+17	+21	+27	-3	0.0	+0.6	+0.3	-0.2	+0.2	---	---	---	---	
AACFC0642	2	TWAFR0007						57%	81%	78%	78%	76%	64%	51%	58%	65%	67%	50%					
WESTHOLME HIRASHIGETAMANA			1	73	59	4	+2.2	+3.0	+13	+14	+18	+24	+4	+1.4	+0.1	+0.8	0.0	-0.5	---	---	---	---	
WESFA0107	2	IMJFAJ2351						82%	94%	92%	92%	91%	80%	67%	72%	82%	82%	71%					
WESTHOLME HIRASHIGETAYASU Z278			6	231	133	57	+2.1	+4.7	+23	+35	+45	+47	+5	+2.1	+1.5	-1.6	-1.8	-0.5	---	---	---	---	
WESFZ0278	3,9	IMJFAJ2351						68%	92%	93%	93%	92%	82%	84%	73%	82%	83%	73%					
WESTHOLME ITOKIKUNAMI 2/3			1	26	16	0	+0.1	-1.5	+2	+6	+9	+4	-3	-0.9	+1.9	+1.5	+1.2	+0.6	---	---	---	---	
AACFB0456	2	IMUFQTF148						64%	90%	85%	82%	83%	73%	56%	63%	73%	74%	62%					
WESTHOLME ITOKIKUNAMI 3/3			1	56	40	0	+0.3	-0.1	+8	+13	+16	+10	-3	+0.1	+1.4	+0.2	+1.0	+0.4	---	---	---	---	
AACFB0460	2	IMUFQTF148						65%	94%	89%	87%	88%	76%	56%	66%	78%	79%	66%					
WESTHOLME ITOKITATERU			1	24	21	0	-2.1	+0.6	+10	+19	+24	+26	0	+0.8	-0.2	-0.4	-0.5	+0.2	---	---	---	---	
AACFB0576	2	IMUFN2294						66%	89%	84%	83%	85%	73%	52%	62%	72%	74%	59%					
WESTHOLME ITOSHIGEFUKU			1	61	49	0	+1.3	-0.2	+2	-2	+2	+2	-6	-0.7	+1.1	+1.7	+1.4	+0.9	---	---	---	---	
AACFB0462	2	IMUFQTF148						64%	94%	90%	89%	87%	75%	55%	67%	78%	79%	67%					
WESTHOLME ITOSUSHIMA A0215			1	11	9	0	-1.5	-3.3	-4	-6	-9	-16	-4	-1.0	-0.9	+1.2	+1.3	+0.4	---	---	---	---	
WESFA0215	2	IMUFQTF148						62%	86%	76%	80%	76%	68%	60%	62%	70%	71%	60%					
WESTHOLME KITAITONAMI			1	40	35	0	-1.1	-2.3	-1	+1	-2	-8	---	+0.1	+0.8	+2.1	+1.7	+1.4	---	---	---	---	
AACFC0650	2	PEDFP001						57%	91%	86%	86%	84%	71%	85%	64%	75%	76%	62%					
WESTHOLME KITANOSEIZAN			1	5	4	0	+0.4	+0.4	+5	+4	+4	+6	+4	0.0	-0.4	-0.2	0.0	-0.1	---	---	---	---	
WESFB0038	2	IMJFP2947						56%	82%	76%	76%	75%	66%	53%	57%	67%	68%	55%					
WESTHOLME KITAZAKURA			1	54	47	0	-1.2	-2.1	-2	+2	-4	-4	---	+1.2	-1.7	-0.1	+0.6	-0.3	---	---	---	---	
AACFC0641	2	PEDFP001						54%	93%	89%	87%	87%	73%	86%	63%	76%	77%	63%					
WESTHOLME SEKIDOI (IMP USA)			3	71	11	2	-1.6	+2.5	+19	+29	+42	+39	+5	-0.3	+0.6	-0.7	-1.3	-0.1	---	---	---	---	
WESFTH004	1	IMJFAJ2810						63%	83%	85%	85%	82%	72%	64%	59%	68%	69%	60%					
WESTHOLME SEKITAYASU 98/1 (IMP USA)			1	49	0	4	+2.2	+3.9	+22	+29	+47	+49	+9	+1.1	+2.2	-0.2	-1.1	-0.2	---	---	---	---	
WESFTH001	14	IMJFAJ2351						59%	81%	78%	83%	84%	74%	61%	53%	58%	59%	52%					
WESTHOLME SHIGETANAKA			1	28	5	3	+1.4	+0.2	+12	+16	+17	+10	+6	+0.3	+0.3	-0.8	-1.3	-0.5	---	---	---	---	
WESFX0063	1	IMJFAJ2351						65%	86%	80%	78%	79%	72%	66%	62%	66%	67%	59%					
WESTHOLME TERUKITAGUNE-DOI			1	65	41	4	-1.7	-0.3	+6	+9	+13	+10	+5	-0.9	+0.1	+0.4	0.0	+0.4	---	---	---	---	
WESFA0120	2	IMJFAJ2810						81%	94%	89%	90%	88%	79%	68%	70%	79%	80%	70%					
AVERAGE EBV FOR 2010 BORN CALVES:							+0.1	+0.9	+9	+14	+18	+18	+1	+0.1	+0.5	+0.3	+0.2	+0.1					

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

☐ Denotes Trait Leader.

2012 March Wagyu GROUP BREEDPLAN EBVS FOR HERD BOOK SIRES

ANIMAL NAME Ident	Owner Code(s)	Sire	Statistics				GROUP ESTIMATED BREEDING VALUES														Indexes			
			Num Herd	Prog Anly	Prog Scan	Perf Dtrs	Birth		Growth						Carcase									
							GL acc	Bwt acc	200 acc	400 acc	600 acc	Mwt acc	MILK acc	SS acc	EMA acc	Rib acc	Rump acc	IMF% acc						
WESTHOLME TERUTAKANAMI (IMP USA) WESFX0174	1	IMJFAJ2810	3	6	1	1	-1.1 61%	+0.6 80%	+7 74%	+11 74%	+20 75%	+15 70%	+3 65%	-0.6 75%	0.0 59%	-0.4 64%	-1.0 65%	+0.3 56%	---	---	---	---		
WESTHOLME YUKIHARUZAKURA AACFC0640	2	IMUFQ2599	1	37	26	0	---	+1.3 90%	+7 85%	+6 83%	+15 83%	+20 69%	---	-0.4 80%	-0.7 58%	-0.4 71%	-0.5 73%	-0.4 57%	---	---	---	---		
YASUFUKU JR PEDFS100	1	PEDFAJ930	4	116	75	4	+0.4 60%	-2.3 93%	-13 89%	-16 90%	-18 83%	-9 68%	-7 50%	-0.4 83%	-0.5 61%	+1.4 76%	+1.7 76%	+1.1 63%	---	---	---	---		
AVERAGE EBV FOR 2010 BORN CALVES:							+0.1	+0.9	+9	+14	+18	+18	+1	+0.1	+0.5	+0.3	+0.2	+0.1						

Sires have at least 75% accuracy for one trait, calves recorded in the last 3 year(s) and with 3 or more progeny analysed.

Denotes Trait Leader.

Number of sires included in list = 103